



LLT ATPV 55 Cal TECGEN FR Arc Flash Jacket



Specs

Product Code C043NNBQT55_32

Stock Sizes SM-5X | Other sizes available upon request

Made To Order Colors



Fabric / Material 7.5 oz. TECGEN CC™ OPF Blend Twill / 7 oz. Quilted Nomex Lining

Compliance

Arc Rating	55 cal/cm²
CAT Level	CAT 4
Standards	• NFPA 70E • ASTM F1506 • CSA Z462 • OSHA 1910.269

Features

Features	• FR knit wrist cuffs keep sleeves in place • Lightweight, breathable fabric • Inherently flame resistant • FR hook & loop front closure • 30% lighter than traditional arc flash suits • Made in the USA
----------	---

Sizing Chart

Arc Flash Coat (C04)		
Size	Chest	Sleeve Length
SM	37" - 41"	36"
MD	40" - 44"	37"
LG	43" - 47"	38"
XL	46" - 50"	39"
2X	49" - 53"	40"
3X	52" - 56"	40"
4X	55" - 59"	41"

*Other sizes available upon request



LLT 55 Cal TECGEN FR Arc Flash Trouser



Specs

Product Code	C453NNBQT55_32
Stock Sizes	SM-5X Other sizes available upon request
Made To Order Colors	
Fabric / Material	7.5 oz. TECGEN CC™ OPF Blend Twill / 7 oz. Quilted Nomex Lining

Compliance

Arc Rating	55 cal/cm ²
CAT Level	CAT 4
Standards	• NFPA 70E • ASTM F1506 • CSA Z462 • OSHA 1910.269

Features

Features	• Lightweight, breathable fabric • Inherently flame resistant • FR hook & loop front closure • 30% lighter than traditional arc flash suits • Heavy duty adjustable, quick disconnect shoulder straps • Made in the USA
----------	---

Sizing Chart

Arc Flash Bib Overall (C45)		
Size	Chest	Waist
SM	31" - 34"	33" - 35"
MD	34" - 37"	36" - 38"
LG	37" - 40"	39" - 41"
XL	40" - 44"	42" - 45"
2X	44" - 48"	46" - 49"
3X	48" - 52"	50" - 53"
4X	52" - 56"	54" - 57"

*Other sizes available upon request



LLT 55 Cal TECGEN FR Arc Flash Hood



Specs

Product Code H653NNBQT55H THAT

Made To Order Colors



Fabric / Material 7.5 oz. TECGEN CC™ OPF Blend Twill / 7 oz. Quilted Nomex Lining

Compliance

Arc Rating	55 cal/cm ²
CAT Level	CAT 4
Standards	• NFPA 70E • ASTM F2178 • CSA Z462 • OSHA 1910.269

Features

Features	• Highly transparent shield for better color recognition and improved visibility • Removable/replaceable anti-fog and anti-abrasion coated faceshield • Inherently flame resistant • Lightweight, breathable fabric • Made in the USA
----------	---



LLT 65 cal ArcGuard Nomex/Kevlar Arc Flash Gloves



Specs

Product Code	G51KDQT14
Stock Sizes	18" Length
Stock Colors	
Fabric / Material	Multilayer DuPont™ Nomex® and Kevlar®

Compliance

Arc Rating	65 cal/cm²
CAT Level	CAT 4
Standards	• NFPA 70E • ASTM F1506 • CSA Z462 • OSHA 1910.269

Features

Features	• Inherently flame resistant for FR protection that will not wash out • FR Fabric will not melt, drip, or ignite • Made in the USA
----------	--

Product Care

Product Care	• READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL. • DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT line dry in the sunlight. • Wash/Laundering Instructions: Wash separately from other garments. Machine wash warm (max. 140°F/60°C). Tumble dry low. • Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc. • If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	--