

65 Cal ArcGuard Nomex/Kevlar Arc Flash Hood



Specs

Product Code	H65KDQTFANPV
Stock Sizes	One Size Fits Most
Stock Colors	
Fabric / Material	Multilayer DuPont™ Nomex® and Kevlar®

Compliance

Arc Rating	65 cal/cm²
CAT Level	CAT 4
Standards	• NFPA 70E • ASTM F2178 • CSA Z462 • OSHA 1910.269

Features

Features	• Breathable FR fabric • Premium anti-fog & scratch resistant coating on faceshield • One size fits all with the universal adapter • FR fabric will not melt, drip, or ignite • Inherently flame resistant, FR protection will not wash out • Fans are attached with FR hook and loop • Fans are powered by 9-volt batteries • PureView™ faceshield technology features a greater range of visibility • Made in the USA
----------	---

Product Care

Product Care	• Remove faceshield and hard hat prior to washing hood. Rinse faceshield in warm water to clean debris. • DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners or starch. DO NOT line-dry in sunlight. • Machine wash warm (Max. 140°F / 60°C) Detergent only Tumble dry low (Max. 160°F / 71°C). • Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc. • If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---



65 Cal ArcGuard Nomex/Kevlar Bib Overalls



Specs

Product Code	C45KDQT_32
Stock Sizes	MD-3X
Stock Colors	
Fabric / Material	Multilayer DuPont™ Nomex® and Kevlar®

Compliance

Arc Rating	65 cal/cm²
CAT Level	CAT 4
Standards	• NFPA 70E • ASTM F1506 • CSA Z462 • OSHA 1910.269

Features

Features	• FR fabric will not melt, drip, or ignite • Quick disconnect and easy adjustable shoulder straps for quick entry • Quick disconnect buckles at each shoulder • Inherently flame resistant for FR protection • Expandable leg opening to fit over boots • FR hook and loop calf closure for easy boot entry • Garments embroidered with arc rating • Available in a convenient kit • Made in the USA
----------	--

Product Care

Product Care	• READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL. • DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners or starch. DO NOT line-dry in sunlight. • Dry Cleanable. Machine wash warm (Max. 140°F / 60°C) . Detergent only. Tumble dry low (Max. 160°F / 71°C). • Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc. • If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---

Sizing Chart

Arc Flash Bib Overall (C45)		
Size	Chest	Waist
SM	31" - 34"	33" - 35"
MD	34" - 37"	36" - 38"
LG	37" - 40"	39" - 41"
XL	40" - 44"	42" - 45"
2X	44" - 48"	46" - 49"
3X	48" - 52"	50" - 53"
4X	52" - 56"	54" - 57"



65 Cal ArcGuard Nomex/Kevlar Arc Flash Coat



Specs

Product Code	C04KDQT03_ _32
Stock Sizes	MD-3X
Stock Colors	
Fabric / Material	Multilayer DuPont™ Nomex® and Kevlar®

Compliance

Arc Rating	65 cal/cm²
CAT Level	CAT 4
Standards	• NFPA 70E • ASTM F1506 • CSA Z462 • OSHA 1910.269

Features

Features	• FR fabric will not melt, drip, or ignite • FR hook & loop front closure • Generous cut allows for unrestrictive movement • Breathable FR fabric • Stand up collar for extra coverage • Garments embroidered with arc rating • FR Knit wrist cuffs for a comfortable, secure fit • Available in a convenient kit • Made in the USA
----------	---

Product Care

Product Care	• READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL. • DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners or starch. DO NOT line-dry in sunlight. • Dry Cleanable. Machine wash warm (Max. 140°F / 60°C) . Detergent only. Tumble dry low (Max. 160°F / 71°C). • Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc. • If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---

Sizing Chart

Arc Flash Coat (C04)		
Size	Chest	Sleeve Length
SM	37" - 41"	36"
MD	40" - 44"	37"
LG	43" - 47"	38"
XL	46" - 50"	39"
2X	49" - 53"	40"
3X	52" - 56"	40"
4X	55" - 59"	41"



65 cal ArcGuard Nomex/Kevlar Gloves



Specs

Product Code	G51KDQT14
Stock Sizes	18" Length
Stock Colors	
Fabric / Material	Multilayer DuPont™ Nomex® and Kevlar®

Compliance

Arc Rating	65 cal/cm²
CAT Level	CAT 4
Standards	• NFPA 70E • ASTM F1506 • CSA Z462 • OSHA 1910.269

Features

Features	• Inherently flame resistant for FR protection that will not wash out • FR Fabric will not melt, drip, or ignite • Made in the USA
----------	--

Product Care

Product Care	• READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL. • DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT line dry in the sunlight. • Wash/Laundering Instructions: Wash separately from other garments. Machine wash warm (max. 140°F/60°C). Tumble dry low. • Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc. • If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	--